




**ILS RWY 5**

AL-5049 (FAA)

**GROTON-NEW LONDON (GON)**  
GROTON (NEW LONDON), CONNECTICUT

ATIS\* 127.0  
PROVIDENCE APP CON  
125.75 319.2  
GROTON TOWER\*  
125.6 (CTAF) 352.8  
CLNC DEL  
118.55  
GND CON  
121.65 352.8  
UNICOM 122.95



REPRODUCED WITH PERMISSION © JEPPESEN SANDERSON, INC., 1998. ALL RIGHTS RESERVED.

① Activate on 125.6 when Twr inop.

② Closed to wingspan over 80' and/or  
apch speed greater than 120 kts.

TAKE-OFF

	Rwy 23		Rwy 5			Rwy 33			Rwy 15
	Adequate Vis Ref	STD	With Min climb of 240'/NM to 400'		Other	With Min climb of 280'/NM to 1900'		Other	
			Adequate Vis Ref	STD		Adequate Vis Ref	STD		
1 & 2 Eng	1/4	1	RVR 16 or 1/4	RVR 50 or 1	300-2	1/4	1	1500-3	300-1
3 & 4 Eng		1/2		RVR 24 or 1/2			1/2		

FOR FILING AS ALTERNATE  
Authorized Only When Tower Operating

	Precision	Non-Precision
A	600-2	800-2
B	700-2	
C		
D		

AMEND  
4

CHANGES: Communications.

© JEPPESEN SANDERSON, INC., 1986, 1998. ALL RIGHTS RESERVED.